# **Authorization**



### **Table of Contents**

| Twin Client Site Terminal Authorization                       | 1 |
|---|---|
| Listing the MAC/Authorization from a Twin Client Site License | 2 |

### **Twin Client Site Terminal Authorization**

#### Introduction

The following describes an issue with the Twin Client site terminal authorizations.

### **Background**

After receiving a terminal from repair when the radio has been replaced, the terminal cannot rejoin the network. The site authorization is only valid for an initial site setup.

#### Resolution

You must generate individual codes for each terminal returned from the factory.

## Listing the MAC/Authorization from a Twin Client Site License

### Introduction

The following describes listing the MAC/Authorization from a Twin Client Site license.

### **Background**

Currently there is no way of obtaining a list of authorized Twin Client licenses from a siteauthorized system.

### Resolution

This tool can be used either for Site Authorized Systems or any Twin Client Manager that has terminals attached, authorized or not.

### **About This Document**

This document is based on the following Technical Documents in our Notes Database that have been made obsolete: A1045, and T1199.

Please let us know about any errors in this document at: <a href="http://207.241.78.223/isoxpert/calltrak.nsf/WebTracking?OpenForm">http://207.241.78.223/isoxpert/calltrak.nsf/WebTracking?OpenForm</a>.